



YONGMAO

YONGMAO

FLAT-TOP TOWER CRANE

YONGMAO



Model	Capacity (t)	Tip load (t)	Jib length (m)	Mast specification (m)	Free standing height (m)
ST 8000	200	76.5	80	10×10×6	117
ST 80/238	80 / 64	23.8	80	6.2×6.2×7	105.1
ST 80/116	64 / 50 / 40	10.77 / 11.60	80	4.54×4.56×7	72.9
ST 80/75	50 / 40 / 32	8.3 / 7.1 / 7.5	80	4.54×4.56×5.7	91.4
ST 80/60	40 / 32 / 25	5.6 / 6.0	80	2.97×2.97×6	78.12
ST 455	25 / 20	3.0 / 3.10	80	2.27×2.29×6	84.7
ST 75/32	16 / 12	3.10 / 3.20	75	2.0×2.0×3	52.2
ST 70/32	16 / 12	3 / 3.20	70	2.0×2.0×3	51.7
ST 60/23	10	2.30	60	2.0×2.0×3	59.8
ST 60/15	10	1.50	60	1.6×1.6×3	44.8
ST 56/13	8 / 6	1.30 / 1.55	56	1.6×1.6×3	48.1



Model	Capacity (t)	Tip load (t)	Jib length (m)	Mast specification (m)	Free standing height (m)
STT 3330	160	33	80	3.25×3.25×6	61.3
STT 3000	140	33	80	3.2×3.2×6	62.4
STT 2200	100 / 80	27.2 / 25/3	70	3.2×3.2×6	92.4
STT 1100	50	11.76	70	3.15×3.15×6	60.2
STT 753	40 / 32	5.40	80	2.32×2.34×6	73.4
STT 553B	25 / 20 / 18	3.85 / 3.85 / 4	80	2.27×2.29×6	85.6
STT 553	24 / 20 / 18	3.55 / 3.55 / 4	80	2.27×2.29×6	85.6
STT 403B	25 / 20 / 18	2.56 / 2.56 / 3	80	2.27×2.29×6	85.6
STT 403	24 / 20 / 18	2.56 / 2.56 / 3	80	2.27×2.29×6	85.6
STT 373	20	3.14	75	2.27×2.29×6 2×2×3	72.6 51.5
STT 293	18 / 16 / 12	2.70	74	2.27×2.29×6 2×2×3	85.3 61.2
STT 253	16 / 12 / 10	2.4	65	2×2×3	61.2
STT 200	12 / 10	1.50	70	2×2×3	59.7
STT 153	8	1.50	65	2×2×3 1.6×1.6×3	60.6 46.8
ST 5515B	8 / 6	1.50	55	2×2×3 1.6×1.6×3	57.1 45.1
STT 139	6	1.35	60	2×2×3 1.6×1.6×3	60.4 45.4
STT 133	6	1.35	55	1.6×1.6×3	45.61
STT 113	6	0.88	55	1.6×1.6×3 1.2×1.2×3	54.4 40.7